
Unsupervised Resource Allocation with Graph Neural Networks

Miles Cranmer
Princeton University
Princeton, NJ 08544, USA
mcranmer@princeton.edu

Peter Melchior
Princeton University
Princeton, NJ 08544, USA
peter.melchior@princeton.edu

Brian Nord
Fermi National Accelerator Laboratory
Batavia, IL 60510, USA
nord@fnal.gov

Abstract

We present an approach for maximizing a global utility function by learning how to allocate resources in an unsupervised way. We expect interactions between allocation targets to be important and therefore propose to learn the reward structure for near-optimal allocation policies with a GNN. By relaxing the resource constraint, we can employ gradient-based optimization in contrast to more standard evolutionary algorithms. Our algorithm is motivated by a problem in modern astronomy, where one needs to select—based on limited initial information—among 10^9 galaxies those whose detailed measurement will lead to optimal inference of the composition of the universe. Our technique presents a way of flexibly learning an allocation strategy by only requiring forward simulators for the physics of interest and the measurement process. We anticipate that our technique will also find applications in a range of allocation problems from social science studies to customer satisfaction surveys and exploration strategies of autonomous agents.

1 Resource Allocation for Observational Studies

We consider a problem that frequently arises in observational sciences as well as the training of autonomous agents. Due to resource limitations, not every desirable action is admissible, leading to the problem of finding a strategy that makes best use of the available resources. We are particularly interested in a scenario where many individual actions need to be performed before their combined utility can be determined. In such a scenario it should be beneficial to learn not just which actions have high reward but also how interactions between possible actions influence the outcome.

As a concrete example, modern astronomical observations fall into two groups. So-called surveys cover wide areas of the sky without any specific selection of celestial objects. On the other hand, targeted observations often draw from prior surveys to select specific objects for detailed characterization. Telescope facilities for targeted studies are rare and expensive to operate. Access to them is severely limited and competitively allocated based on the perceived merit of the proposed scientific study. After decades of astronomical sky surveys, *some* information is available for hundreds of millions of celestial objects (such as their position on the sky and their brightness), but detailed information can only be acquired for a much smaller subset. Based on what is already known of these objects, astronomers need to decide which of them merit further study (see Figure 1 for a schema of the problem). The situation resembles that of an organization whose management wants to incentivize beneficial user behavior through an intervention aimed at specific users; or of an autonomous agent




Figure 1: Schema of the proposed technique applied to an astronomical dataset. Given initial (noisy) information, GNN_1 proposes how the distribute observing resources over all galaxies, after which GNN_2 predicts a more accurate posterior estimate of a global variable φ of scientific interest. The accuracy of this prediction is used to update both GNNs to better allocate resources. A traditional allocation method is shown only for comparison (see Section 3.3).

that has a “foggy” view of its surroundings and only enough sensory bandwidth to explore a few possible options before having to move on.

We are interested in finding a policy for taking actions in an unknown environment $M \in \mathcal{M}$, described as a Markov Decision Process (MDP), $M = (\mathcal{S}, \mathcal{A}, \mathcal{P}, \mathcal{R}, H)$, where \mathcal{S} is the set of possible states, \mathcal{A} the set of actions, and \mathcal{P} the set of transition probabilities from state s to state t by means of action a , $\mathbb{P}(t | s, a)$, resulting in the reward $r(s, a) \sim \mathcal{R}$. The horizon H describes how many actions can be taken and reflects the resource limitations. In contrast to problems in scheduling and control, our problem is not sequential and can thus be described as finding the policy

$$\pi^* = \operatorname{argmax}_{\pi} U(s_H^{\pi}) \quad (1)$$

for some domain-specific utility function U . Note that U depends only on the final state s_H^{π} after all H actions have been taken according to policy π , but not on the ordering of the actions.

For observational sciences, the state set is given by all possible study subjects $\mathbf{v}_i \in \mathbb{R}^{n_v}$, $i = 1 \dots N$, more precisely what we know about them. Possible actions are restricted to allocating an available resource to observe a subject i , which amounts to advancing our knowledge from a prior $p(\mathbf{v}_i)$ to a posterior $p(\mathbf{v}_i | a_i = \text{observe } i)$. The set of observed subjects $\mathcal{O}^{\pi} = \{i : a_i = \text{observe } i\}$ has cardinality H . The final state is thus given by $s_H^{\pi} = \{p(\mathbf{v}_i)\}_{i \notin \mathcal{O}^{\pi}} \cup \{p(\mathbf{v}_i | i \text{ observed})\}_{i \in \mathcal{O}^{\pi}}$. The utility is then usually the inverse variance of the posterior of parameter φ for some hypothesized model of the process under study, based on the collection of observations,

$$U(s_H^{\pi}) = \operatorname{var}^{-1}[p(\varphi | s_H^{\pi})]. \quad (2)$$

The non-sequential nature of this problem allows a substantial simplification. Because any action amounts to observing one $i \in \{1, \dots, N\}$, the reward r can be expressed on per-subject basis: $r(s, a = \text{observe } i) = r(i | \mathcal{O})$, i.e. the reward of adding i to \mathcal{O} . We seek to determine the reward for every possible subject such that the final set \mathcal{O} maximizes U . We propose to parameterize $r(i | \mathcal{O})$ as a Graph Neural Network (GNN) $r_{\theta}(\{\mathbf{v}_i\})$ to exploit possible relations between subjects in forming the optimal set \mathcal{O} . GNNs, as defined in [1], are neural networks that accept as input or output an arbitrary graph (defined as a set of nodes and edges) or a scalar variable. A GNN can be thought of as the generalized version of an Interaction Network (INs) [2], using inductive biases motivated from physics. Early work on GNNs include [3; 4; 5]. The optimal policy can be determined by rank-ordering $r_{\theta}(\{\mathbf{v}_i\})$ and selecting the highest-ranked H subjects. The advantage of this approach lies in avoiding black-box optimization (by e.g. evolutionary algorithms) usually employed for finding solutions to Equation 1 [6; 7]. Instead, we can utilize novel approaches of black-box back-propagation [8; 9] or perturbed optimization [10] for combinatorial problems.

We can further relax the strict set assignment $i \in \mathcal{O}$ and interpret the prediction of the GNN as the *amount* of allocated resources for each subject, e.g. observing time, so that $\sum_i r_\theta(\{\mathbf{v}_i\}) = H$. This redefinition allows us to put the sum constraint into the loss function. If a non-zero minimum allocation is required for any improvement in U (as is often the case in practice), the network predictions will naturally approximate the previous case of a small number of subjects being observed. We continue to employ gradient-based optimization to learn the resource allocation with a GNN and replace the black-box relaxation hyper-parameter in [8; 10] with a variable feasibility penalty on H , increasing it until the constraint is satisfied within acceptable bounds.

2 Context & Related Work

The main contributions of our proposal are two-fold. First, by gradually transitioning from an unconstrained problem to a constrained problem, it should be easier for the GNN to first learn which samples are relevant for maximizing the utility, and then to adjust to the resource limitations — all within the same gradient-based architecture. Second, whereas traditional approaches often rely on manually defined reward functions based on heuristics, we learn a reward function from scratch with the help of a second GNN and forward simulations of the parameter(s) of interest. This flexibility should allow for further improvements in the allocation strategy. Furthermore, performing symbolic regression on the GNN [11; 12] can lead to generalizable formulations of interaction terms that reveal which nodes of the subject network need to be maintained under resource limitations. Providing such a form of model interpretability is very important to the astronomical community for their adoption of any proposed technique.

Resource allocation through Reinforcement Learning (RL) is a rich problem space that spans a wide range of activities and domains. These include control of and communication between autonomous agents (e.g., self-driving cars), assignment of tasks and resources to nodes in grid computing, communication across wireless networks, as well as selecting study subjects in the observational sciences [13; 14; 15; 16]. Topically most similar to our work, [7] optimized the observation schedule for a large astronomical survey with an evolutionary algorithm.

GNNs in particular have been used in prior work for learning policies. The “NerveNet” model [17] uses message passing between different body parts to determine a generalizable policy for agent movement. The “policy-GNN” [18] uses similar principles to our proposed architecture, using GNNs to select the next node in a graph, but considers meta-learning for traditional GNN classification algorithms rather than resource allocation, and cannot be reconfigured to our problem. It also assumes iterative sampling, whereas for our astronomical problem one needs to select the samples at once, based on limited information about the graph. Additional examples of GNNs used for resource allocation include [19; 20], which were applied to resources on a wireless network and focus on the edges of a GNN, whereas we use the edges merely as a way of factoring in interactions between potential subjects.

3 Methodology & Experimental Protocol

We motivate our experiment in Section 3.1 by a real-world problem from current astronomical research. In Section 3.2, we give a detailed definition of our GNN variant, with a full list of hyperparameters, and the algorithm to train it. In Section 3.3, we define how we will perform the experiments, the metric for success, as well as the comparison to existing allocation policies.

3.1 Case Study

Motivated by a challenging problem for large-scale astronomical surveys of the coming years, we focus on the following case study: the selection of celestial objects, usually called “targets”, to improve our knowledge of the make-up of the universe. In particular, we will look at the measurement of $O(10^9)$ distant galaxies, for which very accurate positions on the sky (x_1, x_2) are known, but their distances d and masses m are known only to within 10-30%. For precise cosmological studies, all four features, $\mathbf{v} = (x_1, x_2, d, \log m)$, need to be known accurately, the distance to within $\approx 0.1\%$. As astronomers are able to perform targeted observations for $O(10^7)$ galaxies [21], we need to decide which galaxies should be further studied with a more accurate instrument. The final utility from Equation 2 will be given by the inverse variance on a single parameter $\varphi = \Omega_m$, the fraction

Algorithm 1 Pseudocode for learning a strategy of allocating a finite amount of resources H over a large set of study subjects. The goal is to advance from a prior (noisy) to a posterior (accurate) state so that the parameter of interest φ can be optimally inferred.

```

1: procedure LEARNOPTIMALOBSERVATIONSTRATEGY
2:    $\theta_1 \leftarrow$  Kaiming initialization
3:    $\theta_2 \leftarrow$  Kaiming initialization
4:    $\lambda \leftarrow$  learning rate
5:    $H \leftarrow$  total resource allocation
6:    $(\tau, \delta\tau, \eta) \leftarrow (0, 0.1H^{-2}, 0.001H)$ 
7:    $\alpha \leftarrow$  sparsity coefficient
8:   repeat
9:      $\varphi \sim p(\varphi)$  ▷ parameter of simulated environment
10:     $\{\mathbf{v}_i\} \sim \text{simulator}(\varphi)$  ▷ simulated subject catalog, arbitrary cardinality
11:    for all  $i = 1 \dots |\{\mathbf{v}_i\}|$  do
12:       $\epsilon \sim \mathcal{N}(0, \Sigma_{\text{prior}})$ 
13:       $\mathbf{v}'_i \leftarrow \mathbf{v}_i + \epsilon$  ▷ simulated prior state
14:       $\{r_i\} \leftarrow GNN_1(\{\mathbf{v}'_i\}; \theta_1)$  ▷ resource allocation
15:      for all  $i = 1 \dots |\{\mathbf{v}_i\}|$  do
16:         $\epsilon \sim \mathcal{N}(0, \Sigma_{\text{posterior}}(r_i))$ 
17:         $\mathbf{v}''_i \leftarrow \mathbf{v}_i + \epsilon$  ▷ simulated posterior state
18:         $\hat{\varphi} \leftarrow GNN_2(\{\mathbf{v}''_i\}; \theta_2)$  ▷ parameter estimation
19:         $L \leftarrow (\hat{\varphi} - \varphi)^2 + \tau (\sum_i r_i - H)^2 + \alpha \sum_i r_i$  ▷ regression and regularization losses
20:         $(\theta_1, \theta_2) \leftarrow (\theta_1, \theta_2) - \lambda \cdot \nabla_{\theta} L$ 
21:        if  $|\sum_i r_i - H| > \eta$  then ▷ allocation feasibility
22:           $\tau \leftarrow \tau + \delta\tau$ 
23:    until  $L$  has stabilized
24: return  $GNN_1$ , the optimized survey scheduler;  $GNN_2$ , the optimized inference statistic

```

of the total energy density in the universe in the form of matter (as opposed to e.g. radiation).¹ Broadly speaking, increasing Ω_m increases the amount of spatial clustering of galaxies throughout the universe. Thus, knowing their precise 3D positions and masses allows to recover Ω_m .

3.2 Architecture & Algorithm

We propose to combine two independent GNNs: GNN_1 encodes the reward, or rather: the resource allocation for every target in a simulated universe [23], as a set-to-set mapping. GNN_2 seeks to estimate the cosmological parameter of the simulated universe, thereby emulating the posterior inference step of Equation 2 as a set-to-scalar mapping. The second GNN is a fast proxy for a scientific analysis, which traditionally would take days or months to complete, and resembles the function of the value network in [24]. We point out that the training of GNN_1 is unsupervised as it is never shown a predefined optimal target set. Our approach is visually depicted in Figure 1.

Our GNN models take the form of the message-passing network variant with a single message-passing step. Using notation from [1], we denote multi-layer perceptrons (MLPs) by $\phi : \mathbb{R}^{(\cdot)} \rightarrow \mathbb{R}^{(\cdot)}$, $GNN_1 \equiv (\phi_1^e, \phi_1^v)$, which maps from set to set, is defined by two MLPs: $\phi_1^e : \mathbb{R}^{n_v+n_e} \rightarrow \mathbb{R}^{n_e}$, and $\phi_1^v : \mathbb{R}^{n_v+n_e} \rightarrow \mathbb{R}^1$; with operations $\mathbf{e}_{1,ij} = \phi_1^e(\mathbf{v}_i, \mathbf{v}_j)$, and the resource allocation $r_i = \phi_1^v(\mathbf{v}_i, \sum_{j \in \text{edges}_i} \mathbf{e}_{1,ij})$. Then, $GNN_2 \equiv (\phi_2^e, \phi_2^v, \phi_2^u)$, a GNN from set to scalar, is defined by three different MLPs: $\phi_2^e : \mathbb{R}^{n_v+n_e} \rightarrow \mathbb{R}^{n_e}$, $\phi_2^v : \mathbb{R}^{n_v+n_e} \rightarrow \mathbb{R}^{n_h}$, and $\phi_2^u : \mathbb{R}^{n_h} \rightarrow \mathbb{R}$, with operations $\mathbf{e}_{2,ij} = \phi_2^e(\mathbf{v}_i, \mathbf{v}_j)$, $\mathbf{h}_i = \phi_2^v(\mathbf{v}_i, \sum_{j \in \text{edges}_i} \mathbf{e}_{2,ij})$, $\hat{\varphi} = \phi_2^u(\frac{1}{n} \sum_i \mathbf{h}_i)$. Here, $n = |\{\mathbf{v}_i\}|$, n_v is the fixed number of features for each (input) node, n_e is a hyperparameter for the number of features for each (learned) message $\mathbf{e}_{1,ij}$, $\mathbf{e}_{2,ij}$, and n_h is a hyperparameter for the number of latent features for each (learned) latent node \mathbf{h}_i . We will define edges_i based on a simple Euclidean distance cutoff, with the distance set as a hyperparameter. These GNNs are to be trained using the procedure defined in Algorithm 1.

¹The interested reader can find more information about cosmology in [22].

3.3 Experiments to perform

Mimicking the general conditions of a follow-up study with a spectrograph instrument at one of the world’s largest telescopes, we standardize all four features to the range of $[0, 1]$, and set the prior variances as $\Sigma_{\text{prior}}(\mathbf{v}_i) = \text{Diag}(0, 0, 0.1, 0.25)$. The posterior variance depends on the amount of resources r_i spent on target i as well as its mass and distance because more massive nearby galaxies are brighter and thus easier to observe in general:

$$\Sigma_{\text{posterior}} = \begin{cases} \Sigma_{\text{prior}} & \text{if } r_i < r_{\min}(d, \log m) \\ \text{Diag}(0, 0, 0.001, 0.1) & \text{else.} \end{cases} \quad (3)$$

The minimum resource requirement reflects that observations below a certain threshold are practically useless or impossible to perform; it is typically determined by the scientific study itself. We will adopt $\bar{r}_{\min}/H = 10^{-7}$. Its presence is also meant to ensure that the allocations are sparse. As long as r_{\min} is small, the presence of solution polytopes should be tolerable during training. If not, or if the allocations remain insufficiently sparse, we will add a ℓ_1 penalty term to the loss function, whose strength is treated as a hyperparameter.

For realistic surveys, the outcome depends only weakly on the exact value of H , with practical influences, such as weather, likely to play a more important role. Consequently, we have some flexibility η in the total allocation and will set $\eta/H = 10^{-3}$. As this target might be easier to meet, we will experiment with a fixed τ instead of a variable one, and treat its value again as a hyperparameter.

We will do a coarse hyperparameter search over internal architectures of the MLPs for both GNNs: specifically, a grid search over models with between 2 to 5 hidden layers, and 10 to 1000 hidden nodes. This MLP architecture will be the same for all MLPs, and use ReLU activations. The latent dimensions n_e and n_h will also be searched in the same space from 10 to 1000, independently of the hidden layer search.

We are interested if our allocation strategy with GNNs produces better cosmological results than traditional methods. Therefore, we will make a comparison with two alternatives: 1) We will employ the strategy commonly used in astronomy of uniform random selection among galaxies above a certain mass or brightness threshold [21]; 2) We will adapt the evolutionary algorithm from [7] to maximize Equation 2 by varying the importance of a fixed set of well-motivated but predefined feature functions for policy proposals. We define the metric for success as $\text{var}^{-1}[\hat{\varphi} - \varphi_{\text{test}}]$, where $\hat{\varphi}$ is computed for 50 test simulations with some $\varphi_{\text{test}} \sim p(\varphi)$.

We are also interested in realistic applicability of this technique. Therefore, we will measure the generalizability of this method to a slightly different simulator than the one used during training, and introduce biases in the data not seen in the training set, to determine if the learned observational strategy still produces better results than traditional methods.

References

- [1] Peter W Battaglia, Jessica B Hamrick, Victor Bapst, Alvaro Sanchez-Gonzalez, Vinicius Zambaldi, Mateusz Malinowski, Andrea Tacchetti, David Raposo, Adam Santoro, Ryan Faulkner, Caglar Gulcehre, Francis Song, Andrew Ballard, Justin Gilmer, George Dahl, Ashish Vaswani, Kelsey Allen, Charles Nash, Victoria Langston, Chris Dyer, Nicolas Heess, Daan Wierstra, Pushmeet Kohli, Matt Botvinick, Oriol Vinyals, Yujia Li, and Razvan Pascanu. Relational inductive biases, deep learning, and graph networks. June 2018. URL <http://arxiv.org/abs/1806.01261>.
- [2] Peter Battaglia, Razvan Pascanu, Matthew Lai, Danilo Jimenez Rezende, et al. Interaction networks for learning about objects, relations and physics. In *Advances in neural information processing systems*, pages 4502–4510, 2016.
- [3] Franco Scarselli, Marco Gori, Ah Chung Tsoi, Markus Hagenbuchner, and Gabriele Monfardini. The graph neural network model. *IEEE Transactions on Neural Networks*, 20(1):61–80, 2009.
- [4] Michael M Bronstein, Joan Bruna, Yann LeCun, Arthur Szlam, and Pierre Vandergheynst. Geometric deep learning: going beyond euclidean data. *IEEE Signal Processing Magazine*, 34(4):18–42, 2017.
- [5] Justin Gilmer, Samuel S Schoenholz, Patrick F Riley, Oriol Vinyals, and George E Dahl. Neural message passing for quantum chemistry. In *Proceedings of the 34th International Conference on Machine Learning—Volume 70*, pages 1263–1272. JMLR. org, 2017.

- [6] Rainer Storn and Kenneth Price. Differential evolution – a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization*, 11(4):341–359, December 1997. ISSN 0925-5001, 1573-2916. doi: 10.1023/A:1008202821328. URL <https://doi.org/10.1023/A:1008202821328>.
- [7] Elahesadat Naghib, Peter Yoachim, Robert J Vanderbei, Andrew J Connolly, and R Lynne Jones. A framework for telescope schedulers: With applications to the large synoptic survey telescope. *The Astronomical Journal*, 157(4):151, March 2019. ISSN 0002-9602, 1538-3881. doi: 10.3847/1538-3881/aafece. URL <http://dx.doi.org/10.3847/1538-3881/aafece>.
- [8] Marin Vlastelica, Anselm Paulus, Vít Musil, Georg Martius, and Michal Rolínek. Differentiation of blackbox combinatorial solvers. December 2019. URL <http://arxiv.org/abs/1912.02175>.
- [9] Behzad Tabibian, Vicenç Gómez, Abir De, Bernhard Schölkopf, and Manuel Gomez Rodriguez. On the design of consequential ranking algorithms. volume 124 of *Proceedings of Machine Learning Research*, pages 171–180, Virtual, 2020. PMLR. URL <http://proceedings.mlr.press/v124/tabibian20a.html>.
- [10] Quentin Berthet, Mathieu Blondel, Olivier Teboul, Marco Cuturi, Jean-Philippe Vert, and Francis Bach. Learning with differentiable perturbed optimizers. February 2020. URL <http://arxiv.org/abs/2002.08676>.
- [11] Miles D. Cranmer, Rui Xu, Peter Battaglia, and Shirley Ho. Learning symbolic physics with graph networks. *Machine Learning and the Physical Sciences Workshop, NeurIPS 2019*, 2019.
- [12] Miles Cranmer, Alvaro Sanchez-Gonzalez, Peter Battaglia, Rui Xu, Kyle Cranmer, David Spergel, and Shirley Ho. Discovering symbolic models from deep learning with inductive biases. *NeurIPS 2020*, 2020.
- [13] Keke Gai and Meikang Qiu. Optimal resource allocation using reinforcement learning for iot content-centric services. *Applied Soft Computing*, 70:12 – 21, 2018. ISSN 1568-4946. doi: <https://doi.org/10.1016/j.asoc.2018.03.056>. URL <http://www.sciencedirect.com/science/article/pii/S1568494618302540>.
- [14] Aram Galstyan, Karl Czajkowski, and Kristina Lerman. Resource allocation in the grid using reinforcement learning. In *Proceedings of the Third International Joint Conference on Autonomous Agents and Multiagent Systems-Volume 3*, pages 1314–1315, 2004.
- [15] Ning Liu, Zhe Li, Zhiyuan Xu, Jielong Xu, Sheng Lin, Qinru Qiu, Jian Tang, and Yanzhi Wang. A hierarchical framework of cloud resource allocation and power management using deep reinforcement learning, 2017.
- [16] H. Ye, G. Y. Li, and B. F. Juang. Deep reinforcement learning based resource allocation for v2v communications. *IEEE Transactions on Vehicular Technology*, 68(4):3163–3173, 2019.
- [17] Tingwu Wang, Renjie Liao, Jimmy Ba, and Sanja Fidler. Nervenet: Learning structured policy with graph neural networks. In *International Conference on Learning Representations*, 2018.
- [18] Kwei-Herng Lai, Daochen Zha, Kaixiong Zhou, and Xia Hu. Policy-gnn: Aggregation optimization for graph neural networks. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 461–471, 2020.
- [19] Zhan Gao, Mark Eisen, and Alejandro Ribeiro. Resource allocation via graph neural networks in free space optical fronthaul networks, 2020.
- [20] Mark Eisen and Alejandro Ribeiro. Optimal wireless resource allocation with random edge graph neural networks. *IEEE Transactions on Signal Processing*, 68:2977–2991, 2020. ISSN 1941-0476. doi: 10.1109/tsp.2020.2988255. URL <http://dx.doi.org/10.1109/TSP.2020.2988255>.
- [21] Michael E Levi, Lori E Allen, Anand Raichoor, Charles Baltay, Segev BenZvi, Florian Beutler, Adam Bolton, Francisco J Castander, Chia-Hsun Chuang, Andrew Cooper, Jean-Gabriel Cuby, Arjun Dey, Daniel Eisenstein, Xiaohui Fan, Brenna Flaugher, Carlos Frenk, Alma X Gonzalez-Morales, Or Graur, Julien Guy, Salman Habib, Klaus Honscheid, Stephanie Juneau, Jean-Paul Kneib, Ofer Lahav, Dustin Lang, Alexie Leauthaud, Betta Lusso, Axel de la Macorra, Marc Manera, Paul Martini, Shude Mao, Jeffrey A Newman, Nathalie Palanque-Delabrouille, Will J Percival, Carlos Allende Prieto, Constance M Rockosi, Vanina Ruhlmann-Kleider, David Schlegel, Hee-Jong Seo, Yong-Seon Song, Greg Tarle, Risa Wechsler, David Weinberg, Christophe Yèche, and Ying Zu. The dark energy spectroscopic instrument (DESI). July 2019. URL <http://arxiv.org/abs/1907.10688>.

- [22] Peter Coles. *Cosmology: A Very Short Introduction*. Oxford University Press, illustrated edition edition, December 2001. ISBN 9780192854162. URL <https://www.amazon.com/Cosmology-Short-Introduction-Peter-Coles/dp/019285416X>.
- [23] Francisco Villaescusa-Navarro, Changhoon Hahn, Elena Massara, Arka Banerjee, Ana Maria Delgado, Doogesh Kodi Ramanah, Tom Charnock, Elena Giusarma, Yin Li, Erwan Allys, Antoine Brochard, Cora Uhlemann, Chi-Ting Chiang, Siyu He, Alice Pisani, Andrej Obuljen, Yu Feng, Emanuele Castorina, Gabriella Contardo, Christina D Kreisch, Andrina Nicola, Justin Alsing, Roman Scoccimarro, Licia Verde, Matteo Viel, Shirley Ho, Stephane Mallat, Benjamin Wandelt, and David N Spergel. The quijote simulations. *The Astrophysical Journal Supplement Series*, 250(1):2, August 2020. ISSN 0067-0049. doi: 10.3847/1538-4365/ab9d82. URL <https://iopscience.iop.org/article/10.3847/1538-4365/ab9d82/meta>.
- [24] David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George van den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, Sander Dieleman, Dominik Grewe, John Nham, Nal Kalchbrenner, Ilya Sutskever, Timothy Lillicrap, Madeleine Leach, Koray Kavukcuoglu, Thore Graepel, and Demis Hassabis. Mastering the game of go with deep neural networks and tree search. *Nature*, 529(7587):484–489, January 2016. ISSN 0028-0836, 1476-4687. doi: 10.1038/nature16961. URL <http://dx.doi.org/10.1038/nature16961>.